


trail jet 30 cold water



... ➔ www.falch.com





trail jet 30 cold water

accessories



trail jet 30 500-30-0-d trail jet 30 1000-14-0-d

	100 - 500 bar	100 - 1000 bar
	17 - 30 l/min	8 - 13 l/min
	36,4 kW / 31 kW, 1800 rpm, 1000 rpm, 4 cyl., 3620 ccm, oil	36,4 kW / 31 kW, 1800 rpm, 1000 rpm, 4 cyl., 3620 ccm, oil
	4,3 l/h, diesel	4,3 l/h, diesel
	28 kW 1030 rpm, 2,0 - 8,0 bar, 40 °C	28 kW 1030 rpm, 2,0 - 8,0 bar, 40 °C
	055 USgal/min	019 USgal/min
	■	■
	■	■
	24	24
	24	24
	200 l	200 l
	90 l	90 l
	900 kg, 100 kg	900 kg, 100 kg
	3200 x 1600 x 1700 mm	3200 x 1600 x 1700 mm
	LpA = 76, LwA = 99 dB	LpA = 76, LwA = 99 dB
	g516	g360

services



falch gmbh
 headquarter
 street of water jetting 1
 89143 blaubeuren-seissen (germany)

+49 7344 9244-0

+49 7344 9244-4090

info@falch.com

www.falch.com